

ADG 350

1. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
 2. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
 3. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$



ISO8528 1. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$ MSO 8528

SZUTEST 1. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$ MSO 9001

CE 1. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

2000/14/EC 1. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

Voltage (V)	Line Voltage (V)		Phase Voltage (V)		Total Voltage (V)
	U _{LL}	U _{LN}	U _{LL}	U _{LN}	
400/230	350.00	280.00	317.00	253.00	457.00

1. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

2. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

3. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

4. 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

ENGINE

- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

WISE ACCESSORIES

- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

ALTERNATOR

- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

CONTROL SYSTEM

- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$
- 3- $\sqrt{3}$ V, 50 Hz, Cos $\theta = 0,8$

ADG 350

1. 2000/14/2000mm
 2. 2000/14/2000mm
 3. 2000/14/2000mm
 4. 2000/14/2000mm
 5. 2000/14/2000mm
 6. 2000/14/2000mm
 7. 2000/14/2000mm
 8. 2000/14/2000mm
 9. 2000/14/2000mm
 10. 2000/14/2000mm

AK 81 - 1600x4900x2500mm



1. 2000/14/2000mm
2. 2000/14/2000mm
3. 2000/14/2000mm
4. 2000/14/2000mm
5. 2000/14/2000mm
6. 2000/14/2000mm
7. 2000/14/2000mm
8. 2000/14/2000mm
9. 2000/14/2000mm
10. 2000/14/2000mm

1. 1600x4900x2500mm

1. 2000/14/2000mm
 2. 2000/14/2000mm
 3. 2000/14/2000mm
 4. 2000/14/2000mm
 5. 2000/14/2000mm
 6. 2000/14/2000mm
 7. 2000/14/2000mm
 8. 2000/14/2000mm
 9. 2000/14/2000mm
 10. 2000/14/2000mm

2. 2000/14/2000mm

1. 2000/14/2000mm
 2. 2000/14/2000mm
 3. 2000/14/2000mm
 4. 2000/14/2000mm
 5. 2000/14/2000mm
 6. 2000/14/2000mm
 7. 2000/14/2000mm
 8. 2000/14/2000mm
 9. 2000/14/2000mm
 10. 2000/14/2000mm

1600x4900x2500mm	AK 81
1600mm	1600
4900mm	4900
2500mm	2500